

comm.sz	Order of Matrix				
	1024	2048	4096	8192	16,384
1	4.1	16.0	64.0	270	1100
2	2.3	8.5	33.0	140	560
4	2.0	5.1	18.0	70	280
8	1.7	3.3	9.8	36	140
16	1.7	2.6	5.9	19	71

Table 1: Run-times of serial and parallel matrix-vector multiplication. Times are in microseconds

comm.sz	Order of Matrix				
	1024	2048	4096	8192	16,384
1	1.0	1.0	1.0	1.0	1.0
2	1.8	1.9	1.9	1.9	2.0
4	2.1	3.1	3.6	3.9	3.9
8	2.4	4.8	6.5	7.5	7.9
16	2.4	6.2	10.8	14.2	15.5

Table 2: Speedups of Parallel Matrix-Vector Multiplication

comm.sz	Order of Matrix				
	1024	2048	4096	8192	16,384
1	1.00	1.00	1.00	1.00	1.00
2	0.89	0.94	0.97	0.96	0.98
4	0.51	0.78	0.89	0.96	0.98
8	0.30	0.61	0.82	0.94	0.98
16	0.15	0.39	0.68	0.89	0.97

Table 3: Efficiencies of Parallel Matrix-Vector Multiplication