


## 12-0: Comparison Sorting

- Comparison sorts work by comparing elements
  - Can only compare 2 elements at a time
  - Check for  $<$ ,  $>$ ,  $=$ .
- All the sorts we have seen so far (Insertion, Quick, Merge, Heap, etc.) are comparison sorts
- If we know nothing about the list to be sorted, we need to use a comparison sort

12-1: Decision Trees Insertion Sort on list  $\{a, b, c\}$ 

## 12-2: Decision Trees

- Every comparison sorting algorithm has a decision tree
- What is the best-case number of comparisons for a comparison sorting algorithm, given the decision tree for the algorithm?

## 12-3: Decision Trees

- Every comparison sorting algorithm has a decision tree
- What is the best-case number of comparisons for a comparison sorting algorithm, given the decision tree for the algorithm?
  - (The depth of the shallowest leaf) + 1
- What is the worst case number of comparisons for a comparison sorting algorithm, given the decision tree for the algorithm?

## 12-4: Decision Trees

- Every comparison sorting algorithm has a decision tree
- What is the best-case number of comparisons for a comparison sorting algorithm, given the decision tree for the algorithm?
  - (The depth of the shallowest leaf) + 1

- What is the worst case number of comparisons for a comparison sorting algorithm, given the decision tree for the algorithm?
  - The height of the tree – (depth of the deepest leaf) + 1

**12-5: Decision Trees**

- What is the largest number of nodes for a tree of depth  $d$ ?

**12-6: Decision Trees**

- What is the largest number of nodes for a tree of depth  $d$ ?
  - $2^d$
- What is the minimum height, for a tree that has  $n$  leaves?

**12-7: Decision Trees**

- What is the largest number of nodes for a tree of depth  $d$ ?
  - $2^d$
- What is the minimum height, for a tree that has  $n$  leaves?
  - $\lg n$
- How many leaves are there in a decision tree for sorting  $n$  elements?

**12-8: Decision Trees**

- What is the largest number of nodes for a tree of depth  $d$ ?
  - $2^d$
- What is the minimum height, for a tree that has  $n$  leaves?
  - $\lg n$
- How many leaves are there in a decision tree for sorting  $n$  elements?
  - $n!$
- What is the minimum height, for a decision tree for sorting  $n$  elements?

**12-9: Decision Trees**

- What is the largest number of nodes for a tree of depth  $d$ ?
  - $2^d$
- What is the minimum height, for a tree that has  $n$  leaves?
  - $\lg n$
- How many leaves are there in a decision tree for sorting  $n$  elements?
  - $n!$
- What is the minimum height, for a decision tree for sorting  $n$  elements?

- $\lg n!$

12-10:  $\lg(n!) \in \Omega(n \lg n)$

$$\begin{aligned}
 \lg(n!) &= \lg(n * (n-1) * (n-2) * \dots * 2 * 1) \\
 &= (\lg n) + (\lg(n-1)) + (\lg(n-2)) + \dots \\
 &\quad + (\lg 2) + (\lg 1) \\
 &\geq \underbrace{(\lg n) + (\lg(n-1)) + \dots + (\lg(n/2))}_{n/2 \text{ terms}} \\
 &\geq \underbrace{(\lg n/2) + (\lg(n/2)) + \dots + (\lg(n/2))}_{n/2 \text{ terms}} \\
 &= (n/2) \lg(n/2) \\
 &\in \Omega(n \lg n)
 \end{aligned}$$

#### 12-11: Sorting Lower Bound

- All comparison sorting algorithms can be represented by a decision tree with  $n!$  leaves
- Worst-case number of comparisons required by a sorting algorithm represented by a decision tree is the height of the tree
- A decision tree with  $n!$  leaves must have a height of at least  $n \lg n$
- All comparison sorting algorithms have worst-case running time  $\Omega(n \lg n)$

#### 12-12: Counting Sort

- Sorting a list of  $n$  integers
- We know all integers are in the range  $0 \dots m$
- We can potentially sort the integers faster than  $n \lg n$
- Keep track of a “Counter Array”  $C$ :
  - $C[i] = \#$  of times value  $i$  appears in the list

Example: 3 1 3 5 2 1 6 7 8 1

1	2	3	4	5	6	7	8	9	

#### 12-13: Counting Sort Example

3135216781

0	0	0	0	0	0	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-14: **Counting Sort Example**

1 3 5 2 1 6 7 8 1

0	0	0	1	0	0	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-15: **Counting Sort Example**

3 5 2 1 6 7 8 1

0	1	0	1	0	0	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-16: **Counting Sort Example**

5 2 1 6 7 8 1

0	1	0	2	0	0	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-17: **Counting Sort Example**

2 1 6 7 8 1

0	1	0	2	0	1	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-18: **Counting Sort Example**

1 6 7 8 1

0	1	1	2	0	1	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-19: **Counting Sort Example**

6 7 8 1

0	2	1	2	0	1	0	0	0	0
0	1	2	3	4	5	6	7	8	9

12-20: **Counting Sort Example**

781

0	2	1	2	0	1	1	0	0	0
0	1	2	3	4	5	6	7	8	9

12-21: Counting Sort Example

81

0	2	1	2	0	1	1	1	0	0
0	1	2	3	4	5	6	7	8	9

12-22: Counting Sort Example

1

0	2	1	2	0	1	1	1	1	0
0	1	2	3	4	5	6	7	8	9

12-23: Counting Sort Example

0	3	1	2	0	1	1	1	1	0
0	1	2	3	4	5	6	7	8	9

12-24: Counting Sort Example

0	3	1	2	0	1	1	1	1	0
0	1	2	3	4	5	6	7	8	9

1 1 1 2 3 3 5 6 7 8 12-25:  $\Theta()$  of Counting Sort

- What is the running time of Counting Sort?
- If the list has  $n$  elements, all of which are in the range  $0 \dots m$ :

12-26:  $\Theta()$  of Counting Sort

- What is the running time of Counting Sort?
- If the list has  $n$  elements, all of which are in the range  $0 \dots m$ :
  - Running time is  $\Theta(n + m)$
- What about the  $\Omega(n \lg n)$  bound for all sorting algorithms?

12-27:  $\Theta()$  of Counting Sort

- What its the running time of Counting Sort?
- If the list has  $n$  elements, all of which are in the range  $0 \dots m$ :
  - Running time is  $\Theta(n + m)$
- What about the  $\Omega(n \lg n)$  bound for all sorting algorithms?
  - For *Comparison Sorts*, which allow for sorting arbitrary data. What happens when  $m$  is very large?

12-28: **Binsort**

- Counting Sort will need some modification to allow us to sort *records* with integer keys, instead of just integers.
- Binsort is much like Counting Sort, except that in each index  $i$  of the counting array  $C$ :
  - Instead of storing the *number* of elements with the value  $i$ , we store a *list* of all elements with the value  $i$ .


12-29: **Binsort Example**

3	1	2	6	2	4	5	3	9	7	key
mark	john	mary	sue	julie	rachel	pixel	shadow	alex	james	data

/	/	/	/	/	/	/	/	/	/
0	1	2	3	4	5	6	7	8	9


12-30: **Binsort Example**

3	1	2	6	2	4	5	3	9	7	key
mark	john	mary	sue	julie	rachel	pixel	shadow	alex	james	data



12-31: **Binsort Example**

1	2	2	3	3	4	5	6	7	9	key
john	mary	julie	mark	shadow	rachel	pixel	sue	james	alex	data




12-32: **Bucket Sort**

- Expand the “bins” in Bin Sort to “buckets”
- Each bucket holds a range of key values, instead of a single key value
- Elements in each bucket are sorted.


12-33: **Bucket Sort Example**

114	26	50	180	44	111	4	95	196	170	key
john	mary	julie	mark	shadow	rachel	pixel	sue	james	alex	data




12-34: **Bucket Sort Example**

	26	50	180	44	111	4	95	196	170	key
	mary	julie	mark	shadow	rachel	pixel	sue	james	alex	data



12-35: Bucket Sort Example


		50	180	44	111	4	95	196	170	key
		julie	mark	shadow	rachel	pixel	sue	james	alex	data



12-36: Bucket Sort Example




			180	44	111	4	95	196	170	key data
			mark	shadow	rachel	pixel	sue	james	alex	




12-37: Bucket Sort Example


				44	111	4	95	196	170	key data
				shadow	rachel	pixel	sue	james	alex	




12-38: Bucket Sort Example




12-39: Bucket Sort Example




12-40: Bucket Sort Example




12-41: Bucket Sort Example




12-42: Bucket Sort Example



12-43: **Bucket Sort Example**



12-44: **Bucket Sort Example**

**12-45: Counting Sort Revisited**

- We're going to look at counting sort again
- For the moment, we will assume that our array is indexed from  $1 \dots n$  (where  $n$  is the number of elements in the list) instead of being indexed from  $0 \dots n - 1$ , to make the algorithm easier to understand
- Later, we will go back and change the algorithm to allow for an index between  $0 \dots n - 1$

**12-46: Counting Sort Revisited**

- Create the array  $C[]$ , such that  $C[i] = \#$  of times key  $i$  appears in the array.
- Modify  $C[]$  such that  $C[i] =$  the *index* of key  $i$  in the sorted array. (assume no duplicate keys, for now)
- If  $x \notin A$ , we don't care about  $C[x]$

**12-47: Counting Sort Revisited**

- Create the array  $C[]$ , such that  $C[i] = \#$  of times key  $i$  appears in the array.
- Modify  $C[]$  such that  $C[i] =$  the *index* of key  $i$  in the sorted array. (assume no duplicate keys, for now)
- If  $x \notin A$ , we don't care about  $C[x]$

```
for(i=1; i<C.length; i++)
    C[i] = C[i] + C[i-1];
```

- Example: 3 1 2 4 9 8 7

**12-48: Counting Sort Revisited**

- Once we have a modified  $C$ , such that  $C[i] =$  index of key  $i$  in the array, how can we use  $C$  to sort the array?

**12-49: Counting Sort Revisited**

- Once we have a modified  $C$ , such that  $C[i] = \text{index of key } i \text{ in the array}$ , how can we use  $C$  to sort the array?

```
for (i=1; i <= n; i++)
    B[C[A[i].key()]] = A[i];
for (i=1; i <= n; i++)
    A[i] = B[i];
```

- Example: 3 1 2 4 9 8 7

#### 12-50: Counting Sort & Duplicates

- If a list has duplicate elements, and we create  $C$  as before:

```
for(i=1; i <= n; i++)
    C[A[i].key()]++;
for(i=1; i < C.length; i++)
    C[i] = C[i] + C[i-1];
```

What will the value of  $C[i]$  represent?

#### 12-51: Counting Sort & Duplicates

- If a list has duplicate elements, and we create  $C$  as before:

```
for(i=1; i <= n; i++)
    C[A[i].key()]++;
for(i=1; i < C.length; i++)
    C[i] = C[i] + C[i-1];
```

What will the value of  $C[i]$  represent?

- The *last* index in  $A$  where element  $i$  could appear.

#### 12-52: (Almost) Final Counting Sort

```
for(i=1; i <= n; i++)
    C[A[i].key()]++;
for(i=1; i < C.length; i++)
    C[i] = C[i] + C[i-1];

for (i=1; i <= n; i++) {
    B[C[A[i].key()]] = A[i];
    C[A[i].key()]--;
}
for (i=1; i <= n; i++)
    A[i] = B[i];
```

- Example: 3 1 2 4 2 2 9 1 6

#### 12-53: (Almost) Final Counting Sort

```

for(i=1; i <= n; i++)
    C[A[i].key()]++;
for(i=1; i<C.length; i++)
    C[i] = C[i] + C[i-1];

for (i=1; i <= n; i++) {
    B[C[A[i].key()]] = A[i];
    C[A[i].key()]--;
}
for (i=1; i <= n; i++)
    A[i] = B[i];

```

- Example: 3 1 2 4 2 2 9 1 6
- Is this a Stable sorting algorithm?

#### 12-54: (Almost) Final Counting Sort

```

for(i=1; i <= n; i++)
    C[A[i].key()]++;
for(i=1; i < C.length; i++)
    C[i] = C[i] + C[i-1];

for (i = n; i>=1; i++) {
    B[C[A[i].key()]] = A[i];
    C[A[i].key()]--;
}

for (i=1; i < n; i++)
    A[i] = B[i];

```

- How would we change this algorithm if our arrays were indexed from  $0 \dots n - 1$  instead of  $1 \dots n$ ?

#### 12-55: Final (!) Counting Sort

```

for(i=0; i < A.length; i++)
    C[A[i].key()]++;
for(i=1; i < C.length; i++)
    C[i] = C[i] + C[i-1];

for (i=A.length - 1; i>=0; i++) {
    C[A[i].key()]--;
    B[C[A[i].key()]] = A[i];
}

for (i=0; i < A.length; i++)
    A[i] = B[i];

```

#### 12-56: Radix Sort

- Sort a list of numbers one digit at a time
  - Sort by 1st digit, then 2nd digit, etc

- Each sort can be done in linear time, using counting sort
- First Try: Sort by most significant digit, then the next most significant digit, and so on
  - Need to keep track of a lot of sublists

12-57: **Radix Sort** Second Try:

- Sort by *least significant* digit first
- Then sort by next-least significant digit, using a Stable sort
- ...
- Sort by most significant digit, using a Stable sort

At the end, the list will be completely sorted. Why?

12-58: **Radix Sort**

- If (most significant digit of  $x$ )  $<$   
(most significant digit of  $y$ ),  
then  $x$  will appear in  $A$  before  $y$ .

12-59: **Radix Sort**

- If (most significant digit of  $x$ )  $<$   
(most significant digit of  $y$ ),  
then  $x$  will appear in  $A$  before  $y$ .
  - Last sort was by the most significant digit

12-60: **Radix Sort**

- If (most significant digit of  $x$ )  $=$   
(most significant digit of  $y$ ),  
then  $x$  will appear in  $A$  before  $y$ .
  - Last sort was by the most significant digit
- If (most significant digit of  $x$ )  $=$   
(most significant digit of  $y$ ) and  
(second most significant digit of  $x$ )  $<$   
(second most significant digit of  $y$ ),  
then  $x$  will appear in  $A$  before  $y$ .

12-61: **Radix Sort**



- If (most significant digit of  $x$ )  $<$   
(most significant digit of  $y$ ),

then  $x$  will appear in  $A$  before  $y$ .

- Last sort was by the most significant digit
- If (most significant digit of  $x$ ) =  
(most significant digit of  $y$ ) and

(second most significant digit of  $x$ )  $<$   
(second most significant digit of  $y$ ),

then  $x$  will appear in  $A$  before  $y$ .

- After next-to-last sort,  $x$  is before  $y$ . Last sort does not change relative order of  $x$  and  $y$

#### 12-62: Radix Sort

Original List

982	414	357	495	500	904	645	777	716	637	149	913	817	493	730	331	201
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sorted by Least Significant Digit

500	730	331	201	982	493	913	414	904	645	495	716	357	777	637	817	149
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sorted by Second Least Significant Digit

500	201	904	913	414	716	817	730	331	637	645	149	357	777	982	493	495
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

Sorted by Most Significant Digit

149	201	331	357	414	493	495	500	637	645	716	730	777	817	904	913	982
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

#### 12-63: Radix Sort

- We do not need to use a single digit of the key for each of our counting sorts
  - We could use 2-digit chunks of the key instead
  - Our  $C$  array for each counting sort would have 100 elements instead of 10

#### 12-64: Radix Sort

Original List

9823	4376	2493	1055	8502	4333	1673	8442	8035	6061	7004	3312	4409	2338
------	------	------	------	------	------	------	------	------	------	------	------	------	------

Sorted by Least Significant Base-100 Digit (last 2 base-10 digits)

8502	7004	4409	3312	9823	4333	8035	2338	8442	1055	6061	1673	4376	2493
------	------	------	------	------	------	------	------	------	------	------	------	------	------

Sorted by Most Significant Base-100 Digit (first 2 base-10 digits)

1055	1673	2338	2493	3312	4333	4376	4409	6061	7004	8035	8442	8502	9823
------	------	------	------	------	------	------	------	------	------	------	------	------	------

#### 12-65: Radix Sort

- “Digit” does not need to be base ten

- For any value  $r$ :
  - Sort the list based on  $(\text{key} \% r)$
  - Sort the list based on  $((\text{key} / r) \% r)$
  - Sort the list based on  $((\text{key} / r^2) \% r)$
  - Sort the list based on  $((\text{key} / r^3) \% r)$
  - ...
  - Sort the list based on  $((\text{key} / r^{\log_k(\text{largest value in array})} \% r)$
- Code on other screen