

# Data Structures and Algorithms

*CS245-2015S-14*

## *Disjoint Sets*

David Galles

Department of Computer Science  
University of San Francisco

# 14-0: Disjoint Sets

---

- Maintain a collection of sets
- Operations:
  - Determine which set an element is in
  - Union (merge) two sets
- Initially, each element is in its own set
  - # of sets = # of elements

# 14-1: Disjoint Sets

---

- Elements will be integers (for now)
- Operations:
  - `CreateSets(n)` – Create  $n$  sets, for integers  $0..(n-1)$
  - `Union(x,y)` – merge the set containing  $x$  and the set containing  $y$
  - `Find(x)` – return a representation of  $x$ 's set
    - $\text{Find}(x) = \text{Find}(y)$  iff  $x,y$  are in the same set

# 14-2: Disjoint Sets

---

- Implementing Disjoint sets
  - How should disjoint sets be implemented?

## 14-3: Implementing Disjoint Sets

---

- Implementing Disjoint sets (First Try)
  - Array of set identifiers:  
Set[i] = set containing element i
  - Initially, Set[i] = i

# 14-4: Implementing Disjoint Sets

---

- Creating sets:

# 14-5: Implementing Disjoint Sets

---

- Creating sets: (pseudo-Java)

```
void CreateSets(n) {  
    for (i=0; i<n; i++) {  
        Set[i] = i;  
    }  
}
```

# 14-6: Implementing Disjoint Sets

---

- Find:



# 14-7: Implementing Disjoint Sets

---

- Find: (pseudo-Java)

```
int Find(x) {  
    return Set[x];  
}
```

# 14-8: Implementing Disjoint Sets

---

- Union:

# 14-9: Implementing Disjoint Sets

---

- Union: (pseudo-Java)

```
void Union(x,y) {  
    set1 = Set[x];  
    set2 = Set[y];  
  
    for (i=0; i < n; i=+)  
        if (Set[i] == set2)  
            Set[i] = set1;  
}
```

# 14-10: Disjoint Sets $\Theta()$

---

- CreateSets
- Find
- Union

# 14-11: Disjoint Sets $\Theta()$

---

- CreateSets:  $\Theta(n)$
- Find:  $\Theta(1)$
- Union:  $\Theta(n)$

# 14-12: Disjoint Sets $\Theta()$

---

- CreateSets:  $\Theta(n)$
- Find:  $\Theta(1)$
- Union:  $\Theta(n)$

We can do better! (At least for Union ...)

# 14-13: Implementing Disjoint Sets II

---

- Store elements in trees
- All elements in the same set will be in the same tree
- Find( $x$ ) returns the element at the root of the tree containing  $x$ 
  - How can we easily find the root of a tree containing  $x$ ?

# 14-14: Implementing Disjoint Sets II



---

- Store elements in trees
- All elements in the same set will be in the same tree
- Find(x) returns the element at the root of the tree containing x
  - How can we easily find the root of a tree containing x?
  - Implement trees using *parent pointers* instead of *children pointers*



# 14-15: Trees Using Parent Pointers


- Examples:



# 14-16: Implementing Disjoint Sets II


---

- Each element is represented by a node in a tree
- Maintain an array of pointers to nodes



# 14-17: Implementing Disjoint Sets II

- Each element is represented by a node in a tree
- Maintain an array of pointers to nodes



# 14-18: Implementing Disjoint Sets II

---

- Find:

# 14-19: Implementing Disjoint Sets II

---

- Find:
  - Follow parent pointers, until root is reached.
    - Root is node with `null` parent pointer.
  - Return element at root

# 14-20: Implementing Disjoint Sets II

---

- Find: (pseudo-Java)

```
int Find(x) {  
    Node tmp = Sets[x];  
    while (tmp.parent != null)  
        tmp = tmp.parent;  
    return tmp.element;  
}
```

# 14-21: Implementing Disjoint Sets II

---

- Union(x,y)

# 14-22: Implementing Disjoint Sets II

---

- Union(x,y)
  - Calculate:
    - Root of x's tree, rootx
    - Root of y's tree, rooty
  - Set  $\text{parent}(\text{rootx}) = \text{rooty}$



# 14-23: Implementing Disjoint Sets II

---

- Union(x,y) (pseudo-Java)

```
void Union(x,y) {  
    rootx = Find(x);  
    rooty = Find(y);  
    Sets[rootx].parent = Sets[rooty];  
}
```

# 14-24: Removing pointers

---

- We don't need any pointers
- Instead, use index into set array

-1	-1	-1	-1	-1	-1	-1	-1	-1
0	1	2	3	4	5	6	7	8

# 14-25: Removing pointers

---

-1	-1	-1	-1	-1	-1	-1	-1	-1
0	1	2	3	4	5	6	7	8

- Union(2,3), Union(6,8), Union(0,2), Union(2,6)

# 14-26: Removing pointers

---

- Union(2,3), Union(6,8), Union(0,2), Union(2,8)

3	-1	3	8	-1	-1	8	-1	-1
0	1	2	3	4	5	6	7	8

# 14-27: Implementing Disjoint Sets III

---

- Find: (pseudo-Java)

```
int Find(x) {  
    while (Parent[x] != -1)  
        x = Parent[x]  
    return x  
}
```

# 14-28: Implementing Disjoint Sets II

---

- Union(x,y) (pseudo-Java)

```
void Union(x,y) {  
    rootx = Find(x);  
    rooty = Find(y);  
    Parent[rootx] = rooty;  
}
```

# 14-29: Efficiency of Disjoint Sets II

---

- So far, we haven't done much to improve the run-time efficiency of Disjoint sets.
- Two improvements will make a huge difference:
  - Union by rank
  - Path compression

# 14-30: Union by Rank

---

- When we merge two sets:
  - “Shorter” tree point to the taller tree



# 14-31: Union by Rank

---

- We need to keep track of the height of each tree
- How?

# 14-32: Union by Rank

---

- We need to keep track of the height of each tree
  - Store the height of the tree at the root
  - If a node  $x$  is not a root,  $Parent[x] = \text{parent of } x$
  - If a node  $x$  is a root,  $Parent[x] = 0 - \# \text{ height of tree rooted at } x$

# 14-33: Union by Rank

---

- Examples

# 14-34: Union by Rank

---

- When we merge two trees, how do we know which tree to point at the other?

## 14-35: Union by Rank

---

- When we merge two trees, how do we know which tree to point at the other?
  - The node with the larger (less negative) Parent[] value points to the node with the smaller (more negative) Parent[] value. Break ties arbitrarily.
- How do we update the height of the new merged tree?

## 14-36: Union by Rank

---

- When we merge two trees, how do we know which tree to point at the other?
  - The node with the larger (less negative) Parent[] value points to the node with the smaller (more negative) Parent[] value. Break ties arbitrarily.
- How do we update the height of the new merged tree?
  - If trees are different sizes, do nothing
  - If trees are the same size, increase (decrease) new parent by 1.

# 14-37: Union by Rank

---

- Union(x,y) (pseudo-Java)

```
void Union(x,y) {
    rootx = Find(x);
    rooty = Find(y);
    if (Parent[rootx] < Parent[rooty]) {
        Parent[rooty] = x;
    } else {
        if Parent[rootx] == Parent[rooty]
            Parent[rooty]--;
        Parent[rootx] = rooty;
    }
}
```

# 14-38: Path Compression

---

- After each call to `Find(x)`, change `x`'s parent pointer to point directly at root
- Also, change all parent pointers on path from `x` to root



# 14-39: Implementing Disjoint Sets III

---

- Find: (pseudo-Java)

```
int Find(x) {
    if (Parent[x] < 0)
        return x;
    else {
        Parent[x] = Find(Parent[x]);
        return Parent[x];
    }
}
```

## 14-40: Disjoint Set $\Theta$

---

- Time to do a Find / Union proportional to the depth of the trees
- “Union by Rank” tends to keep tree sizes down
- “Path compression” makes Find and Union causes trees to flatten
- Union / Find take roughly time  $O(1)$  on average

# 14-41: Disjoint Set $\Theta$

- Technically,  $n$  Find/Unions take time  $O(n \lg^* n)$
- $\lg^* n$  is the number of times we need to take  $\lg$  of  $n$  to get to 1.
  - $\lg 2 = 1, \lg^* 2 = 1$
  - $\lg(\lg 4) = 1, \lg^* 4 = 2$
  - $\lg(\lg(\lg 16)) = 1, \lg^* 16 = 3$
  - $\lg(\lg(\lg(\lg 65536))) = 1, \lg^* 65536 = 4$
  - ...
  - $\lg^* 2^{65536} = 5$
- # of atoms in the universe  $\approx 10^{80} \ll 2^{65536}$
- $\lg^* n \leq 5$  for all practical values of  $n$