

# Data Structures and Algorithms

*CS245-2015S-18*

*Spanning Trees*

David Galles

Department of Computer Science

University of San Francisco

# 18-0: Spanning Trees


---

- Given a connected, undirected graph  $G$ 
  - A *subgraph* of  $G$  contains a subset of the vertices and edges in  $G$
  - A *Spanning Tree*  $T$  of  $G$  is:
    - subgraph of  $G$
    - contains all vertices in  $G$
    - connected
    - acyclic

# 18-1: Spanning Tree Examples

---


- Graph



# 18-2: Spanning Tree Examples

---


- Spanning Tree



# 18-3: Spanning Tree Examples

---


- Graph



# 18-4: Spanning Tree Examples

---

- Spanning Tree




# 18-5: Minimal Cost Spanning Tree

---

- Minimal Cost Spanning Tree
  - Given a weighted, undirected graph  $G$
  - Spanning tree of  $G$  which minimizes the sum of all weights on edges of spanning tree

# 18-6: MST Example


---





# 18-7: MST Example

---



# 18-8: Minimal Cost Spanning Trees

---

- Can there be more than one minimal cost spanning tree for a particular graph?

# 18-9: Minimal Cost Spanning Trees

---

- Can there be more than one minimal cost spanning tree for a particular graph?
- YES!
  - What happens when all edges have unit cost?

# 18-10: Minimal Cost Spanning Trees

---

- Can there be more than one minimal cost spanning tree for a particular graph?
- YES!
  - What happens when all edges have unit cost?
  - All spanning trees are MSTs

# 18-11: Calculating MST

---

- Two algorithms to calculate MST:
  - Kruskal's Algorithm
    - Build a “forest” of spanning trees
    - Combine into one tree
  - Prim's Algorithm
    - Grow a single tree out from a start vertex


# 18-12: Kruskal's Algorithm

---

- Start with an empty graph (no edges)
- Sort the edges by cost
- For each edge  $e$  (in increasing order of cost)
  - Add  $e$  to  $G$  if it would not cause a cycle

# 18-13: Kruskal's Algorithm Examples

---



# 18-14: Kruskal's Algorithm

---

- Proof (by contradiction)
- Assume that *no* optimal MST  $T$  contains the minimum cost edge  $e$
- Add  $e$  to  $T$ , which causes a cycle
- Remove an edge other than  $e$  to break the cycle
- $\text{cost } T' \leq T$ , a contradiction



# 18-15: Kruskal's Algorithm

---

- Coding Kruskal's Algorithm:
  - Place all edges into a list
  - Sort list of edges by cost
  - For each edge in the list
    - Select the edge if it does not form a cycle with previously selected edges
    - How can we do this?

# 18-16: Kruskal's Algorithm

---

- Determining if adding an edge will cause a cycle
  - Start with a forest of  $V$  trees (each containing one node)
  - Each added edge merges two trees into one tree
  - An edge causes a cycle if both vertices are in the same tree
    - (examples)

# 18-17: Kruskal's Algorithm

---

- We need to:
  - Put each vertex in its own tree
  - Given any two vertices  $v_1$  and  $v_2$ , determine if they are in the same tree
  - Given any two vertices  $v_1$  and  $v_2$ , merge the tree containing  $v_1$  and the tree containing  $v_2$
- ... sound familiar?

# 18-18: Kruskal's Algorithm

---

- Disjoint sets!
- Create a list of all edges
- Sort list of edges
- For each edge  $e = (v_1, v_2)$  in the list
  - if  $\text{FIND}(v_1) \neq \text{FIND}(v_2)$ 
    - Add  $e$  to spanning tree
    - $\text{UNION}(v_1, v_2)$

# 18-19: Prim's Algorithm

---

- Grow that spanning tree out from an initial vertex
- Divide the graph into two sets of vertices
  - vertices in the spanning tree
  - vertices *not* in the spanning tree
- Initially, Start vertex is in the spanning tree, all other vertices are not in the tree
  - Pick the initial vertex arbitrarily


# 18-20: Prim's Algorithm

---

- While there are vertices not in the spanning tree
  - Add the cheapest vertex to the spanning tree

# 18-21: Prim's Algorithm Examples

---



# 18-22: Prim's Algorithm

---

- Use a table – much like Dijkstra table
- Path has the same meaning
- Cost is for vertex  $v_k$ 
  - cost to add  $v_k$  to the tree
  - (instead of length of path to  $v_k$ )



# 18-23: Prim's Algorithm

---

- Code for Prim's algorithm is very similar to the code for Dijkstra's algorithm
- Make *one small change* to Dijkstra's algorithm to get Prim's algorithm

# 18-24: Dijkstra Code

---

```
void Dijkstra(Edge G[], int s, tableEntry T[]) {
    int i, v;
    Edge e;
    for(i=0; i<G.length; i++) {
        T[i].distance = Integer.MAX_VALUE;
        T[i].path = -1;
        T[i].known = false;
    }
    T[s].distance = 0;
    for (i=0; i < G.length; i++) {
        v = minUnknownVertex(T);
        T[v].known = true;
        for (e = G[v]; e != null; e = e.next) {
            if (T[e.neighbor].distance >
                T[v].distance + e.cost) {
                T[e.neighbor].distance = T[v].distance + e.cost;
                T[e.neighbor].path = v;
            }
        }
    }
}
```

# 18-25: Prim Code

---

```
void Dijkstra(Edge G[], int s, tableEntry T[]) {
    int i, v;
    Edge e;
    for(i=0; i<G.length; i++) {
        T[i].distance = Integer.MAX_VALUE;
        T[i].path = -1;
        T[i].known = false;
    }
    T[s].distance = 0;
    for (i=0; i < G.length; i++) {
        v = minUnknownVertex(T);
        T[v].known = true;
        for (e = G[v]; e != null; e = e.next) {
            if (T[e.neighbor].distance >
                e.cost) {
                T[e.neighbor].distance = e.cost;
                T[e.neighbor].path = v;
            }
        }
    }
}
```